





Rear suspension

Item	Standard	Service limit		
Shock absorber spring free length	'90-'91: 195.3 (7.69) '92-'93: 184.8 (7.28) After '93: _____	191.4 (7.54) 181.1 (7.13) _____		
Shock absorber spring free length (R) (L)	_____	_____		
Damper gas pressure	_____	_____		
Damper compressed gas	_____	_____		
Damper rod compressed force at 10mm (0.4 in) compressed	_____	_____		
Damper drilling point for disposal	20 mm (0.8 in) from the top surface	_____		
Shock absorber spring installed length (Standard)				
			'90-'91: 181.9 (7.16)	_____
			'92-'93: 171.4 (6.75)	_____
Shock absorber spring compression adjuster range	LOW-STD-MIDDLE-HIGH POSITIONS	_____		
Shock absorber spring direction	With tapered end facing upper spring seat.	_____		
Recommended shock absorber oil	_____	_____		
Shock absorber oil capacity	_____	_____		
air pressure	_____	_____		
Compression adjuster standard position	12 clicks from lowest position	_____		
Rebound adjuster standard position	'92-'93: 1-1/8 turn from hardest position After '93: 1 turn from hardest position	_____		

Brakes

Front brake fluid	DOT4	_____
brake lever free play	_____	_____
brake pad wear indicator	_____	to the groove ①
brake disc thickness		'90-'93: 5.0 (0.21)
		After '93: 4.5 (0.18)
brake disc runout	_____	0.3 (0.012)
master cylinder I.D.	12.700-12.743 (0.5000-0.5017)	12.76 (0.502)
master piston O.D.	12.657-12.684 (0.4983-0.4994)	12.65 (0.498)
caliper cylinder I.D.	25.400-25.450 (1.0000-1.0020)	25.46 (1.002)
caliper cylinder I.D. (Upper)	_____	_____
(Lower)	_____	_____
caliper piston O.D.	25.335-25.368 (0.9974-0.9987)	25.33
caliper piston O.D. (Upper)	_____	_____
(Lower)	_____	_____
brake drum I.D.	_____	_____
brake lining thickness	_____	_____
Rear brake fluid	DOT4	_____
brake pedal height	_____	_____
brake pedal free play	_____	_____
brake pad wear indicator	_____	to the groove ②
brake disc thickness		6.0 (0.24)

brake disc runout	_____	0.3 (0.012)
master cylinder I.D.	12.700-12.743 (0.5000-0.5017)	12.76 (0.502)
master piston O.D.	12.657-12.684 (0.4983-0.4994)	12.65 (0.498)
caliper cylinder I.D.	27.000-27.050 (1.0629-1.0632)	27.06 (1.065)
caliper piston O.D.	26.918-26.968 (1.0598-1.0617)	26.91 (1.059)
brake drum I.D.	_____	_____
brake lining thickness	_____	_____